


**CUSCO** *Coil-Over Suspension Lineup*

Make (US)	Model (US)	Year	Chassis Code	Cusco Collover	CUSCO Part No.	Damper Adjustment Type [Front]	Damper Adjustment Type [Rear]	Shock Absorber Type	Ride Height Adjustment Type [Front]	Ride Height Adjustment Type [Rear]	Upper Mount [Front]	Upper Mount [Rear]	Default Vehicle Low-Down Set-up (Front/Rear) (mm)	Vehicle Ride Height Set-up Range [Front] (mm)	Vehicle Ride Height Set-up Range [Rear] (mm)	Spring Rate [Front] (Kg/mm)	Spring Rate [Rear] (Kg/mm)	e-Con2	e-Con2 Part Number	Additional Product Information
MAZDA	Mazda2	2009, 2010, 2011, 2012, 2013	DE5FS	Street A	438 62J CBA	40-Way Adjustable	8-Way Adjustable	Twin Tube	Standard	Threaded Spacer Type	Not included	Not included	-45 / -45	-45 / -25	-50 / -25	4 or (5/6)	2.4	No	-	
MAZDA	Mazda2	2009, 2010, 2011, 2012, 2013	DE5FS	Street	438 62K CBA	Fixed Damper Rate	8-Way Adjustable	Twin Tube	Standard	Threaded Spacer Type	Not included	Not included	-55 / -55	-70 / -45	-70 / -30	6 or (7)	3	No	-	
MAZDA	Mazda2	2009, 2010, 2011, 2012, 2013	DE5FS	Street Zero	438 62P CBA	Fixed Damper Rate	8-Way Adjustable	Twin Tube	Full-length Adjustable	Threaded Spacer Type	Not included	Not included	-35 / -40	-40 / -5	-50 / -25	3.6	2.4	No	-	
MAZDA	Mazda2	2009, 2010, 2011, 2012, 2013	DE5FS	Sports Zero 3G	438 63C SB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Aluminum Spacers	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gymkhana & Tarmac Rally Spec)
MAZDA	Mazda2	2009, 2010, 2011, 2012, 2013	DE5FS	Sports Zero 3R	438 63R CN	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Aluminum Spacers	Pillow/Rigid	Rubber/Rigid	-55 / -55	-60 / -35	-70 / -55	12 or (8/9/10/14)	7 or (4/5/6/8/9/10)	No	-	
MAZDA	Mazda2	2009, 2010, 2011, 2012, 2013	DE5FS	Sport Zero-3S	438 63S CN	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Aluminum Spacers	Pillow/Rigid	Rubber/Rigid	-40 / -45	-55 / 0	-45 / -30	6 or (7/9/10)	3 or (4/5/6)	No	-	
MAZDA	Mazda3	2003, 2004, 2005, 2006, 2007, 2008	BK5P/BKEP	Street A	470 62J CBA	40-Way Adjustable	8-Way Adjustable	Twin Tube	Standard	Threaded Spacer Type	Not included	Not included	-30 / -30	-40 / -20	-40 / -5	6	4	No	-	
MAZDA	Mazda3	2003, 2004, 2005, 2006, 2007, 2008	BK5P/BKEP	Street	470 62K CBA	Fixed Damper Rate	8-Way Adjustable	Twin Tube	Standard	Standard	Not included	Not included	-30 / -30	-40 / -20	-40 / -5	6	4	No	-	
MAZDA	Mazda3 / Mazdaspeed3	2009, 2010, 2011, 2012, 2013	BL5FP/FW/FFP	Street	471 62J CBA	40-Way Adjustable	8-Way Adjustable	Twin Tube	Standard	Threaded Spacer Type	Not included	Not included	-30 / -35	-40 / -25	-35 / -10	6	4	No	-	
MAZDA	Mazda3 / Mazdaspeed3	2009, 2010, 2011, 2012, 2013	BL5FP/FW/FFP	Street	471 62K CBA	Fixed Damper Rate	8-Way Adjustable	Twin Tube	Standard	Standard	Not included	Not included	-30 / -35	-40 / -20	-35 / -10	6	4	No	-	
MAZDA	Miata	1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998	NA6/NA8	Street A	404 61J CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Standard	Standard	Rubber/Rigid	Rubber/Rigid	-40 / -35	-50 / -20	-45 / -15	5 or (6/7/8)	4 or (5/6/7)	Yes	00B 60J 1010	
MAZDA	Miata	1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998	NA6/NA8	Street A	404 61J CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Standard	Standard	Rubber/Rigid	Rubber/Rigid	-40 / -35	-50 / -20	-45 / -15	5 or (6/7/8)	4 or (5/6/7)	Yes	00B 60J 1010	
MAZDA	Miata	1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998	NA6/NA8	Street Zero A	404 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-40 / -35	-50 / -20	-45 / -15	5 or (6/7/8)	4 or (5/6/7)	Yes	00B 60J 1010	CP3 OPTION
MAZDA	Miata	1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998	NA6/NA8	Street Zero A	404 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-40 / -35	-50 / -20	-45 / -15	5 or (6/7/8)	4 or (5/6/7)	Yes	00B 60J 1010	
MAZDA	Miata	1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998	NA6/NA8	Street Zero	404 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-40 / -35	-50 / -20	-45 / -15	5 or (6/7/8)	4 or (5/6/7)	No	-	CP3 OPTION
MAZDA	Miata	1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998	NA6/NA8	Street Zero	404 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-40 / -35	-50 / -20	-45 / -15	5 or (6/7/8)	4 or (5/6/7)	No	-	
MAZDA	Miata	1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998	NA6/NA8	Street	404 62K CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Standard	Standard	Rubber/Rigid	Rubber/Rigid	-40 / -35	-50 / -20	-45 / -15	5 or (6)	4 or (5)	No	-	
MAZDA	Miata	1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998	NA6/NA8	Sports Zero 3R	404 63R CP	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-35 / -30	-60 / -15	-60 / -20	12 or (8/9/10/14/16)	10 or (7/8/9/12/14)	No	-	
MAZDA	Miata	1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998	NA6/NA8	Sport Zero-3S	404 63S CN	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-45 / -35	-60 / 0	-50 / 0	8 or (6/7/9/10)	6 or (5/7/8/9)	No	-	
MAZDA	Miata	1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005	NB6/NB8	Street A	404 61J CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Standard	Standard	Rubber/Rigid	Rubber/Rigid	-40 / -35	-50 / -20	-45 / -15	5 or (6/7/8)	4 or (5/6/7)	Yes	00B 60J 1010	
MAZDA	Miata	1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005	NB6/NB8	Street A	404 61J CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Standard	Standard	Rubber/Rigid	Rubber/Rigid	-40 / -35	-50 / -20	-45 / -15	5 or (6/7/8)	4 or (5/6/7)	Yes	00B 60J 1010	


**Coil-Over Suspension Lineup**

MAZDA	Miata	1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005	NB6/NB8	Street Zero A	404 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-40 / -35	-50 / -20	-45 / -15	5 or (6/7/8)	4 or (5/6/7)	Yes	00B 60J 1010	CP3 OPTION
MAZDA	Miata	1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005	NB6/NB8	Street Zero A	404 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-40 / -35	-50 / -20	-45 / -15	5 or (6/7/8)	4 or (5/6/7)	Yes	00B 60J 1010	
MAZDA	Miata	1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005	NB6/NB8	Sports Zero 3R	404 63R CP	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-35 / -30	-60 / -15	-60 / -20	12 or (8/9/10/14/16)	10 or (7/8/9/12/14)	No	-	
MAZDA	Miata	1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005	NB6/NB8	Sport Zero-3S	404 63S CN	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-45 / -35	-60 / 0	-50 / 0	8 or (6/7/9/10)	6 or (5/7/8/9)	No	-	
MAZDA	MX-5	2006, 2007, 2008, 2009, 2010, 2012, 2013, 2014, 2015	NCEC	Street Zero A	428 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-40 / -35	-55 / 0	-45 / -15	6 or (7)	3.5 or (4)	No	-	Requires minor modification to use with OE & CUSCO Front Strut Tower Bar.
MAZDA	MX-5	2006, 2007, 2008, 2009, 2010, 2012, 2013, 2014, 2015	NCEC	Street Zero	428 61P CB	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Not included	Not included	-40 / -35	-55 / 0	-45 / -15	6 or (7)	3.5	No	-	
MAZDA	MX-5	2006, 2007, 2008, 2009, 2010, 2012, 2013, 2014, 2015	NCEC	Sport Zero-3S	428 63S CN	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-40 / -30	-55 / -25	-50 / -30	7 or (8/9/10/11/12)	4 or (5/6/7)	No	-	
MAZDA	RX-7	1986, 1986, 1987, 1988, 1989, 1990, 1991	FC3C	Street Zero A	420 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-30 / -30	-55 / 0	-40 / 0	7 or (6/8/9)	6 or (5/7/8)	No	-	CP2 OPTION
MAZDA	RX-7	1986, 1986, 1987, 1988, 1989, 1990, 1991	FC3C	Street Zero A	420 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-30 / -30	-55 / 0	-40 / 0	7 or (6/8/9)	6 or (5/7/8)	No	-	
MAZDA	RX-7	1986, 1986, 1987, 1988, 1989, 1990, 1991	FC3S	Street Zero A	420 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-30 / -30	-55 / 0	-40 / 0	7 or (6/8/9)	6 or (5/7/8)	No	-	CP2 OPTION
MAZDA	RX-7	1986, 1986, 1987, 1988, 1989, 1990, 1991	FC3S	Street Zero A	420 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-30 / -30	-55 / 0	-40 / 0	7 or (6/8/9)	6 or (5/7/8)	No	-	
MAZDA	RX-7	1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002	FD3S	Street Zero A	422 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-35 / -30	-60 / 0	-55 / 0	10 or (9/11/12)	8 or (7/9/10)	No	-	CP3 OPTION
MAZDA	RX-7	1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002	FD3S	Street Zero A	422 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-35 / -30	-60 / 0	-55 / 0	10 or (9/11/12)	8 or (7/9/10)	No	-	
MAZDA	RX-7	1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002	FD3S	Street Zero	422 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-35 / -30	-60 / 0	-55 / 0	10 or (9/11/12/14)	8 or (7/9/10/11/12)	No	-	CP3 OPTION
MAZDA	RX-7	1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002	FD3S	Street Zero	422 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-35 / -30	-60 / 0	-55 / 0	10 or (9/11/12/14)	8 or (7/9/10/11/12)	No	-	
MAZDA	RX-7	1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002	FD3S	Sports Zero 3G	422 63C SB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gymkhana & Tarmac Rally Spec)
MAZDA	RX-7	1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002	FD3S	Sports Zero 3R	422 63R CP	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-30 / -35	-55 / 0	-60 / -10	16 or (12/14/18/20/22/24)	16 or (12/14/18/20/22/24)	No	-	
MAZDA	RX-7	1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002	FD3S	Sports Zero 3X	422 63X CP	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 24-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-30 / -35	-65 / -20	-60 / 0	16 or (12/14/18/20/22/24)	16 or (12/14/18/20/22/24)	No	-	
MAZDA	RX-8	2003, 2004, 2005, 2006, 2007, 2008	SE3P	Street Zero A	460 61N CB	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Not included	Not included	-25 / -25	-50 / 0	-35 / -10	7	4	No	-	*Genuine strut bar is unable to suit. Cusco strut bar is enable to suit.


**Coil-Over Suspension Lineup**

MAZDA	RX-8	2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012	SE3P	Street Zero	460 61P CB	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Not included	Not included	-25 / -25	-50 / 0	-35 / -10	7	4	No	-	
-------	------	--	------	-------------	------------	-------------------	-------------------	-----------	---------------------------	---------------------------	--------------	--------------	-----------	---------	-----------	---	---	----	---	--