


**Coil-Over Suspension Lineup**

Make (US)	Model (US)	Year	Chassis Code	Cusco Collover	CUSCO Part No.	Damper Adjustment Type [Front]	Damper Adjustment Type [Rear]	Shock Absorber Type	Ride Height Adjustment Type [Front]	Ride Height Adjustment Type [Rear]	Upper Mount [Front]	Upper Mount [Rear]	Default Vehicle Low-Down Set-up (Front/Rear) (mm)	Vehicle Ride Height Set-up Range (mm)	Vehicle Ride Height Set-up Range [Rear] (mm)	Spring Rate [Front] (Kg/mm)	Spring Rate [Rear] (Kg/mm)	e-Con2	e-Con2 Part Number	Additional Product Information
MITSUBISHI	Lancer	2008, 2009, 2010, 2011, 2012, 2013	CY4A	Street A	542 61J CB	40-Way Adjustable	40-Way Adjustable	Twin Tube	Standard	Standard	Not included	Not included	-35 / -40	-45 / -25	-50 / -30	6 or (7)	5 or (6/7)	No	-	
MITSUBISHI	Lancer	2008, 2009, 2010, 2011, 2012, 2013	CY4A	Street Zero A	542 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Not included	Not included	-55 / -40	-60 / -15	-40 / -15	6 or (7)	5 or (6/7)	No	-	
MITSUBISHI	Lancer	2010, 2011, 2012, 2013	CY4A	Street Zero	542 61P CB	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Not included	Not included	-	-50 / 0	-40 / -10	6 or (7/8/9)	5 or (6/7/8)	No	-	
MITSUBISHI	Lancer Evolution II	1994, 1995	CD9A	Sports Zero 3G	510 63C LB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gravel Rally)
MITSUBISHI	Lancer Evolution II	1994, 1995	CE9A	Sports Zero 3G	510 63C LB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gravel Rally)
MITSUBISHI	Lancer Evolution II	1994, 1995	CE9A	Sports Zero 3G	510 63C LB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gravel Rally)
MITSUBISHI	Lancer Evolution III	1995, 1996	CD9A	Sports Zero 3G	510 63C LB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gravel Rally)
MITSUBISHI	Lancer Evolution III	1995, 1996	CE9A	Sports Zero 3G	510 63C LB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gravel Rally)
MITSUBISHI	Lancer Evolution III	1995, 1996	CE9A	Sports Zero 3G	510 63C LB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gravel Rally)
MITSUBISHI	Lancer Evolution IV	1997, 1998	CN9A	Street Zero A	560 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-45 / -35	-60 / -15	-70 / 0	7 or (6/8/9)	5 or (4/6/7)	Yes	00B 60J 1014	CP2 OPTION
MITSUBISHI	Lancer Evolution IV	1997, 1998	CN9A	Street Zero A	560 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-45 / -35	-60 / -15	-70 / 0	7 or (6/8/9)	5 or (4/6/7)	Yes	00B 60J 1014	
MITSUBISHI	Lancer Evolution IV	1997, 1998	CN9A	Street Zero	560 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-45 / -35	-60 / -15	-70 / 0	7 or (6/8/9)	5 or (4/6/7)	No	-	CP2 OPTION
MITSUBISHI	Lancer Evolution IV	1997, 1998	CN9A	Street Zero	560 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-45 / -35	-60 / -15	-70 / 0	7 or (6/8/9)	5 or (4/6/7)	No	-	
MITSUBISHI	Lancer Evolution IX	2005, 2006, 2007, 2008	CT9A	Street A	564 61J CB	40-Way Adjustable	40-Way Adjustable	Twin Tube	Standard	Standard	Not included	Not included	-55 / -35	-70 / -40	-55 / -15	6	5 or (6)	No	-	
MITSUBISHI	Lancer Evolution IX	2005, 2006, 2007, 2008	CT9A	Street Zero A	564 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-55 / -30	-70 / -30	-65 / 0	7 or (8/9/10)	5 or (6/7/8)	Yes	00B 60J 1014	CP2 OPTION
MITSUBISHI	Lancer Evolution IX	2005, 2006, 2007, 2008	CT9A	Street Zero A	564 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-55 / -30	-70 / -30	-65 / 0	7 or (8/9/10)	5 or (6/7/8)	Yes	00B 60J 1014	
MITSUBISHI	Lancer Evolution IX	2005, 2006, 2007, 2008	CT9A	Street Zero	564 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-55 / -30	-70 / -35	-60 / 0	7 or (8/9/10)	5 or (6/7/8)	No	-	CP2 OPTION
MITSUBISHI	Lancer Evolution IX	2005, 2006, 2007, 2008	CT9A	Street Zero	564 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-55 / -30	-70 / -35	-60 / 0	7 or (8/9/10)	5 or (6/7/8)	No	-	
MITSUBISHI	Lancer Evolution IX	2005, 2006, 2007, 2008	CT9A	Sports Zero 3G	564 63C LB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask	ASK	ASK	No	-	Competition use only (for Gravel Rally)
MITSUBISHI	Lancer Evolution IX	2005, 2006, 2007, 2008	CT9A	Sports Zero 3G	564 63C SB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask	ASK	ASK	No	-	Competition use only (for Gymkhana & Tarmac Rally Spec)
MITSUBISHI	Lancer Evolution IX	2005, 2006, 2007, 2008	CT9A	Sports Zero 3R	564 63R CP	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -30	-70 / 0	-50 / 0	12 or (9/10/11/14/16)	11 or (8/9/10/12/14)	No	-	
MITSUBISHI	Lancer Evolution IX	2005, 2006, 2007, 2008	CT9A	Sport Zero-3S	564 63S CN	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-55 / -30	-60 / 0	-70 / 0	8 or (6/7/9/10/11/12)	5 or (4/6/7/8/9/10)	No	-	
MITSUBISHI	Lancer Evolution IX	2005, 2006, 2007, 2008	CT9A	Sports Zero 3X	564 63X CP	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 24-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -30	-70 / 0	-50 / 0	12 or (9/10/11/14/16)	11 or (8/9/10/12/14)	No	-	
MITSUBISHI	Lancer Evolution IX	2005, 2006, 2007, 2008	CT9A	Comp-X	564 6CX A	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Option	Option	Ask	Ask	Ask	ASK	ASK	No	-	Competition use only (for Gravel)
MITSUBISHI	Lancer Evolution IX	2005, 2006, 2007, 2008	CT9A	Comp-X	564 6CX B	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Option	Option	Ask	Ask	Ask	ASK	ASK	No	-	Competition use only (for Tarmac Rally)
MITSUBISHI	Lancer Evolution IX MR	2007, 2008	CT9A	Street Zero	564 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-55 / -30	-70 / -35	-60 / 0	7 or (8/9/10)	5 or (6/7/8)	No	-	CP2 OPTION
MITSUBISHI	Lancer Evolution IX MR	2007, 2008	CT9A	Street Zero	564 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-55 / -30	-70 / -35	-60 / 0	7 or (8/9/10)	5 or (6/7/8)	No	-	
MITSUBISHI	Lancer Evolution IX MR	2007, 2008	CT9A	Sports Zero 3G	564 63C SB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gymkhana & Tarmac Rally Spec)
MITSUBISHI	Lancer Evolution IX MR	2007, 2008	CT9A	Sports Zero 3R	564 63R CP	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -30	-70 / 0	-50 / 0	12 or (9/10/11/14/16)	11 or (8/9/10/12/14)	No	-	
MITSUBISHI	Lancer Evolution IX MR	2007, 2008	CT9A	Sport Zero-3S	564 63S CN	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-55 / -30	-60 / 0	-70 / 0	8 or (6/7/9/10/11/12)	5 or (4/6/7/8/9/10)	No	-	


**Coil-Over Suspension Lineup**

MITSUBISHI	Lancer Evolution IX MR	2007, 2008	CT9A	Sports Zero 3X	564 63X CP	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 24-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -30	-70 / 0	-50 / 0	12 or (9/10/11/14/16)	11 or (8/9/10/12/14)	No	-	
MITSUBISHI	Lancer Evolution V	1999	CP9A	Street Zero A	561 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-45 / -35	-60 / -15	-70 / 0	7 or (6/8/9)	5 or (4/6/7)	Yes	00B 60J 1014	CP2 OPTION
MITSUBISHI	Lancer Evolution V	1999	CP9A	Street Zero A	561 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-45 / -35	-60 / -15	-70 / 0	7 or (6/8/9)	5 or (4/6/7)	Yes	00B 60J 1014	
MITSUBISHI	Lancer Evolution V	1999	CP9A	Street Zero	561 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-45 / -35	-60 / -15	-70 / 0	7 or (6/8/9)	5 or (4/6/7)	No	-	CP2 OPTION
MITSUBISHI	Lancer Evolution V	1999	CP9A	Street Zero	561 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-45 / -35	-60 / -15	-70 / 0	7 or (6/8/9)	5 or (4/6/7)	No	-	
MITSUBISHI	Lancer Evolution V	1999	CP9A	Sports Zero 3G	561 63C LB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gravel Rally)
MITSUBISHI	Lancer Evolution V	1999	CP9A	Sports Zero 3G	561 63C SB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gymkhana & Tarmac Rally Spec)
MITSUBISHI	Lancer Evolution V	1999	CP9A	Sports Zero 3R	561 63R CP	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -30	-70 / -10	-60 / 0	11 or (9/10/12/14/16)	10 or (8/9/11/12/14)	No	-	
MITSUBISHI	Lancer Evolution V	1999	CP9A	Sport Zero-3S	561 63S CN	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-50 / -30	-60 / -18	-70 / 0	8 or (7/8/9/10/11/12)	5 or (5/6/7/8/9/10/11)	No	-	
MITSUBISHI	Lancer Evolution V	1999	CP9A	Sports Zero 3X	561 63X CP	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 24-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -30	-70 / -10	-70 / -5	11 or (8/9/10/12/14/16)	10 or (6/7/8/9/11/12/14)	No	-	
MITSUBISHI	Lancer Evolution VI	2000, 2001	CP9A	Street Zero A	561 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-45 / -35	-60 / -15	-70 / 0	7 or (6/8/9)	5 or (4/6/7)	Yes	00B 60J 1014	CP2 OPTION
MITSUBISHI	Lancer Evolution VI	2000, 2001	CP9A	Street Zero A	561 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-45 / -35	-60 / -15	-70 / 0	7 or (6/8/9)	5 or (4/6/7)	Yes	00B 60J 1014	
MITSUBISHI	Lancer Evolution VI	2000, 2001	CP9A	Street Zero	561 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-45 / -35	-60 / -15	-70 / 0	7 or (6/8/9)	5 or (4/6/7)	No	-	CP2 OPTION
MITSUBISHI	Lancer Evolution VI	2000, 2001	CP9A	Street Zero	561 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-45 / -35	-60 / -15	-70 / 0	7 or (6/8/9)	5 or (4/6/7)	No	-	
MITSUBISHI	Lancer Evolution VI	2000, 2001	CP9A	Sports Zero 3G	561 63C LB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gravel Rally)
MITSUBISHI	Lancer Evolution VI	2000, 2001	CP9A	Sports Zero 3G	561 63C SB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gymkhana & Tarmac Rally Spec)
MITSUBISHI	Lancer Evolution VI	2000, 2001	CP9A	Sports Zero 3R	561 63R CP	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -30	-70 / -10	-60 / 0	11 or (9/10/12/14/16)	10 or (8/9/11/12/14)	No	-	*Tommi Makinen edition is suitable.
MITSUBISHI	Lancer Evolution VI	2000, 2001	CP9A	Sport Zero-3S	561 63S CN	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-50 / -30	-60 / -18	-70 / 0	8 or (7/8/9/10/11/12)	5 or (5/6/7/8/9/10/11)	No	-	*Tommi Makinen edition is suitable.
MITSUBISHI	Lancer Evolution VI	2000, 2001	CP9A	Sports Zero 3X	561 63X CP	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 24-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -30	-70 / -10	-70 / -5	11 or (8/9/10/12/14/16)	10 or (6/7/8/9/11/12/14)	No	-	
MITSUBISHI	Lancer Evolution VII	2001, 2002	CT9A	Street A	564 61J CB	40-Way Adjustable	40-Way Adjustable	Twin Tube	Standard	Standard	Not included	Not included	-55 / -35	-70 / -40	-55 / -15	6	5 or (6)	No	-	
MITSUBISHI	Lancer Evolution VII	2001, 2002	CT9A	Street Zero A	564 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-55 / -30	-70 / -35	-60 / 0	7 or (8/9/10)	5 or (6/7/8)	Yes	00B 60J 1014	CP2 OPTION
MITSUBISHI	Lancer Evolution VII	2001, 2002	CT9A	Street Zero A	564 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-55 / -30	-70 / -35	-60 / 0	7 or (8/9/10)	5 or (6/7/8)	Yes	00B 60J 1014	
MITSUBISHI	Lancer Evolution VII	2001, 2002	CT9A	Street Zero	564 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-55 / -30	-70 / -35	-60 / 0	7 or (8/9/10)	5 or (6/7/8)	No	-	CP2 OPTION
MITSUBISHI	Lancer Evolution VII	2001, 2002	CT9A	Street Zero	564 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-55 / -30	-70 / -35	-60 / 0	7 or (8/9/10)	5 or (6/7/8)	No	-	
MITSUBISHI	Lancer Evolution VII	2001, 2002	CT9A	Sports Zero 3G	564 63C LB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gravel Rally)
MITSUBISHI	Lancer Evolution VII	2001, 2002	CT9A	Sports Zero 3G	564 63C SB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gymkhana & Tarmac Rally Spec)
MITSUBISHI	Lancer Evolution VII	2001, 2002	CT9A	Sports Zero 3R	564 63R CP	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -30	-70 / 0	-50 / 0	12 or (9/10/11/14/16)	11 or (8/9/10/12/14)	No	-	
MITSUBISHI	Lancer Evolution VII	2001, 2002	CT9A	Sport Zero-3S	564 63S CN	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-55 / -30	-60 / 0	-70 / 0	8 or (6/7/8/9/10/11/12)	5 or (4/6/7/8/9/10)	No	-	
MITSUBISHI	Lancer Evolution VII	2001, 2002	CT9A	Sports Zero 3X	564 63X CP	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 24-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -30	-70 / 0	-50 / 0	12 or (9/10/11/14/16)	11 or (8/9/10/12/14)	No	-	
MITSUBISHI	Lancer Evolution VII	2001, 2002	CT9A	Comp-X	564 6CX A	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Option	Option	Ask	Ask	Ask	ASK	ASK	No	-	Competition use only (for Gravel)
MITSUBISHI	Lancer Evolution VII	2001, 2002	CT9A	Comp-X	564 6CX B	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Option	Option	Ask	Ask	Ask	ASK	ASK	No	-	Competition use only (for Tarmac Rally)
MITSUBISHI	Lancer Evolution VIII	2003, 2004, 2005	CT9A	Street A	564 61J CB	40-Way Adjustable	40-Way Adjustable	Twin Tube	Standard	Standard	Not included	Not included	-55 / -35	-70 / -40	-55 / -15	6	5 or (6)	No	-	
MITSUBISHI	Lancer Evolution VIII	2003, 2004, 2005	CT9A	Street Zero A	564 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-55 / -30	-70 / -30	-65 / 0	7 or (8/9/10)	5 or (6/7/8)	Yes	00B 60J 1014	CP2 OPTION


**CUSCO** *Progressive Engineering*
**Coil-Over Suspension Lineup**

MITSUBISHI	Lancer Evolution VIII	2003, 2004, 2005	CT9A	Street Zero A	564 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-55 / -30	-70 / -30	-65 / 0	7 or (8/9/10)	5 or (6/7/8)	Yes	00B 60J 1014	
MITSUBISHI	Lancer Evolution VIII	2003, 2004, 2005	CT9A	Street Zero	564 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-55 / -30	-70 / -35	-60 / 0	7 or (8/9/10)	5 or (6/7/8)	No	-	CP2 OPTION
MITSUBISHI	Lancer Evolution VIII	2003, 2004, 2005	CT9A	Street Zero	564 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-55 / -30	-70 / -35	-60 / 0	7 or (8/9/10)	5 or (6/7/8)	No	-	
MITSUBISHI	Lancer Evolution VIII	2003, 2004, 2005	CT9A	Sports Zero 3G	564 63C LB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gravel Rally)
MITSUBISHI	Lancer Evolution VIII	2003, 2004, 2005	CT9A	Sports Zero 3G	564 63C SB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gymkhana & Tarmac Rally Spec)
MITSUBISHI	Lancer Evolution VIII	2003, 2004, 2005	CT9A	Sports Zero 3R	564 63R CP	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -30	-70 / 0	-50 / 0	12 or (9/10/11/14/16)	11 or (8/9/10/12/14)	No	-	
MITSUBISHI	Lancer Evolution VIII	2003, 2004, 2005	CT9A	Sport Zero-3S	564 63S CN	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-55 / -30	-60 / 0	-70 / 0	8 or (6/7/9/10/11/12)	5 or (4/6/7/8/9/10)	No	-	
MITSUBISHI	Lancer Evolution VIII	2003, 2004, 2005	CT9A	Sports Zero 3X	564 63X CP	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 24-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -30	-70 / 0	-50 / 0	12 or (9/10/11/14/16)	11 or (8/9/10/12/14)	No	-	
MITSUBISHI	Lancer Evolution VIII	2003, 2004, 2005	CT9A	Comp-X	564 6CX A	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Option	Option	Ask	Ask	Ask	ASK	ASK	No	-	Competition use only (for Gravel)
MITSUBISHI	Lancer Evolution VIII	2003, 2004, 2005	CT9A	Comp-X	564 6CX B	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Option	Option	Ask	Ask	Ask	ASK	ASK	No	-	Competition use only (for Tarmac Rally)
MITSUBISHI	Lancer Evolution VIII MR	2004, 2005	CT9A	Street Zero	564 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-55 / -30	-70 / -35	-60 / 0	7 or (8/9/10)	5 or (6/7/8)	No	-	CP2 OPTION
MITSUBISHI	Lancer Evolution VIII MR	2004, 2005	CT9A	Street Zero	564 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-55 / -30	-70 / -35	-60 / 0	7 or (8/9/10)	5 or (6/7/8)	No	-	
MITSUBISHI	Lancer Evolution VIII MR	2004, 2005	CT9A	Sports Zero 3G	564 63C SB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gymkhana & Tarmac Rally Spec)
MITSUBISHI	Lancer Evolution VIII MR	2004, 2005	CT9A	Sports Zero 3R	564 63R CP	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -30	-70 / 0	-50 / 0	12 or (9/10/11/14/16)	11 or (8/9/10/12/14)	No	-	
MITSUBISHI	Lancer Evolution VIII MR	2004, 2005	CT9A	Sport Zero-3S	564 63S CN	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-55 / -30	-60 / 0	-70 / 0	8 or (6/7/9/10/11/12)	5 or (4/6/7/8/9/10)	No	-	
MITSUBISHI	Lancer Evolution VIII MR	2004, 2005	CT9A	Sports Zero 3X	564 63X CP	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 24-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -30	-70 / 0	-50 / 0	12 or (9/10/11/14/16)	11 or (8/9/10/12/14)	No	-	
MITSUBISHI	Lancer Evolution X	2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015	CZ4A	Street A	566 61J CB	40-Way Adjustable	40-Way Adjustable	Twin Tube	Standard	Standard	Not included	Not included	-40 / -40	-50 / -20	-50 / -25	8 or (7/9/10)	7 or (6/8/9)	No	-	
MITSUBISHI	Lancer Evolution X	2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015	CZ4A	Street Zero A	566 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-45 / -40	-55 / -15	-60 / -20	8 or (7/9/10/11/12)	7 or (6/8/9/10)	Yes	00B 60J 1014	e-Con2 can be used with CUSCO Strut Tower Brace only. CP2 OPTION
MITSUBISHI	Lancer Evolution X	2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015	CZ4A	Street Zero A	566 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-45 / -35	-55 / -15	-55 / -15	8 or (7/9/10/11/12)	7 or (6/8/9/10)	Yes	00B 60J 1014	e-Con2 can be used with CUSCO Strut Tower Brace only.
MITSUBISHI	Lancer Evolution X	2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015	CZ4A	Street Zero	566 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-45 / -40	-55 / -15	-60 / -20	8 (7/9/10/11/12)	7 or (6/8/9/10)	No	-	CP2 OPTION
MITSUBISHI	Lancer Evolution X	2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015	CZ4A	Street Zero	566 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-45 / -35	-55 / -15	-55 / -15	8 (7/9/10/11/12)	7 or (6/8/9/10)	No	-	
MITSUBISHI	Lancer Evolution X	2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015	CZ4A	Sports Zero 3G	566 63C LB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gravel Rally)
MITSUBISHI	Lancer Evolution X	2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015	CZ4A	Sports Zero 3G	566 63C SB0	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gymkhana & Tarmac Rally Spec)
MITSUBISHI	Lancer Evolution X	2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015	CZ4A	Sports Zero 3R	566 63R CP	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -40	-70 / 0	-60 / 0	14 or (10/11/12/16/18)	9 or (7/8/10/11/12)	No	-	
MITSUBISHI	Lancer Evolution X	2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015	CZ4A	Sport Zero-3S	566 63S CN	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Rubber/Rigid	-45 / -40	-60 / 0	-60 / 0	9 or (7/8/10/11/12)	7 or (6/8/9/10)	No	-	
MITSUBISHI	Lancer Evolution X	2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015	CZ4A	Sports Zero 3X	566 63X CP	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 24-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Pillow/Adj.	Pillow/Rigid	-50 / -40	-70 / 0	-55 / -25	14 or (10/11/12/16/18)	9 or (7/8/10/11/12)	No	-	
MITSUBISHI	Lancer Evolution X	2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015	CZ4A	Comp-X	566 6CX A	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Option	Option	Ask	Ask	Ask	ASK	ASK	No	-	Competition use only (for Gravel)


**Coil-Over Suspension Lineup**

MITSUBISHI	Lancer Evolution X	2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015	CZ4A	Comp-X	566 6CX B	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Option	Option	Ask	Ask	Ask	ASK	ASK	No	-	Competition use only (for Tarmac Rally)
MITSUBISHI	Outlander	2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013	CW5W	Street Zero	578 62P CB	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Not included	Not included	-60 / -45	-70 / -25	-55 / -15	7 or (6)	6 or (7/8)	No	-	