


Coil-Over Suspension Lineup

Make (US)	Model (US)	Year	Chassis Code	Cusco Collover	CUSCO Part No.	Damper Adjustment Type [Front]	Damper Adjustment Type [Rear]	Shock Absorber Type	Ride Height Adjustment Type [Front]	Ride Height Adjustment Type [Rear]	Upper Mount [Front]	Upper Mount [Rear]	Default Vehicle Low-Down Set-up (Front/Rear) (mm)	Vehicle Ride Height Set-up Range [Front] (mm)	Vehicle Ride Height Set-up Range [Rear] (mm)	Spring Rate [Front] (Kg/mm)	Spring Rate [Rear] (Kg/mm)	e-Con2	e-Con2 Part Number	Additional Product Information
ACURA	Integra Type R	1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001	DC2	Street Zero A	321 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-30 / -35	-45 / 0	-55 / 0	8 or (7/9/10)	6 or (5/7/8)	Yes	00B 60J 1012	CP3 OPTION
ACURA	Integra Type R	1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001	DC2	Street Zero A	321 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-30 / -35	-45 / 0	-55 / 0	8 or (7/9/10)	6 or (5/7/8)	Yes	00B 60J 1012	
ACURA	Integra Type R	1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001	DC2	Street Zero	321 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-30 / -35	-40 / 0	-55 / 0	8 or (9/10/11)	6 or (5/7/8)	No	-	CP3 OPTION
ACURA	Integra Type R	1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001	DC2	Street Zero	321 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-30 / -35	-40 / 0	-55 / 0	8 or (9/10/11)	6 or (5/7/8)	No	-	
ACURA	Integra Type R	1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001	DC2	Sports Zero 3G	321 63C SBO	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gymkhana & Tarmac Rally Spec)
ACURA	Integra Type R	1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001	DC2	Sports Zero 3R	321 63R CP	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-40 / -35	-90 / -30	-80 / 0	22 or (16/18/20/24/26)	18 or (8/9/10/12/14/16/20/22)	No	-	
ACURA	Integra Type R	1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001	DC2	Sports Zero 3X	321 63X CP	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 24-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-40 / -35	-60 / -30	-65 / -30	22 or (16/18/20/24/26)	18 or (8/9/10/12/14/16/20/22)	No	-	
HONDA	Civic	1992, 1993, 1994, 1995	EG6	Street Zero A	315 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-40 / -35	-65 / 0	-60 / -10	8 or (7/9/10)	6 or (5/7/8)	No	-	CP3 OPTION
HONDA	Civic	1992, 1993, 1994, 1995	EG6	Street Zero A	315 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-40 / -35	-65 / 0	-60 / -10	8 or (7/9/10)	6 or (5/7/8)	No	-	
HONDA	Civic	1992, 1993, 1994, 1995	EG6	Street Zero	315 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-40 / -35	-65 / 0	-60 / -10	8 or (7/9/10)	6 or (5/7/8)	No	-	CP3 OPTION
HONDA	Civic	1992, 1993, 1994, 1995	EG6	Street Zero	315 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-40 / -35	-65 / 0	-60 / -10	8 or (7/9/10)	6 or (5/7/8)	No	-	
HONDA	Civic	1996, 1997, 1998, 1999, 2000	EK4	Street Zero A	317 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-45 / -45	-60 / 0	-50 / -15	8 or (7/9/10)	5 or (4/6/7/8)	Yes	00B 60J 1012	CP3 OPTION
HONDA	Civic	1996, 1997, 1998, 1999, 2000	EK4	Street Zero A	317 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-45 / -45	-60 / 0	-50 / -15	8 or (7/9/10)	5 or (4/6/7/8)	Yes	00B 60J 1012	
HONDA	Civic	1996, 1997, 1998, 1999, 2000	EK4	Street Zero	317 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-45 / -45	-60 / 0	-50 / -15	8 or (9/10/11)	5 or (6/7/8)	No	-	CP3 OPTION
HONDA	Civic	1996, 1997, 1998, 1999, 2000	EK4	Street Zero	317 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-45 / -45	-60 / 0	-50 / -15	8 or (9/10/11)	5 or (6/7/8)	No	-	
HONDA	Civic	1996, 1997, 1998, 1999, 2000	EK9	Street Zero A	317 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-45 / -45	-60 / 0	-50 / -15	8 or (7/9/10)	5 or (4/6/7/8)	Yes	00B 60J 1012	CP3 OPTION
HONDA	Civic	1996, 1997, 1998, 1999, 2000	EK9	Street Zero A	317 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-45 / -45	-60 / 0	-50 / -15	8 or (7/9/10)	5 or (4/6/7/8)	Yes	00B 60J 1012	
HONDA	Civic Hybrid	2005, 2006, 2007, 2008, 2009, 2010, 2011	FD1	Street A	328 61J CB	40-Way Adjustable	40-Way Adjustable	Twin Tube	Standard	Threaded Spacer Type	Not included	Not included	-20 / -20	-30 / 0	-45 / -10	5 or (6/7)	4	Yes	00B 60J 1212	
HONDA	Civic Hybrid	2005, 2006, 2007, 2008, 2009, 2010, 2011	FD3	Street A	328 61J CB	40-Way Adjustable	40-Way Adjustable	Twin Tube	Standard	Threaded Spacer Type	Not included	Not included	-20 / -20	-30 / 0	-45 / -10	5 or (6/7)	4	Yes	00B 60J 1212	
HONDA	Civic Type R	1997, 1998, 1999, 2000	EK9	Street Zero	317 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-45 / -45	-60 / 0	-50 / -15	8 or (9/10/11)	5 or (6/7/8)	No	-	CP3 OPTION
HONDA	Civic Type R	1997, 1998, 1999, 2000	EK9	Street Zero	317 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-45 / -45	-60 / 0	-50 / -15	8 or (9/10/11)	5 or (6/7/8)	No	-	
HONDA	Civic Type R	1997, 1998, 1999, 2000	EK9	Sports Zero 3G	317 63C SBO	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Not included	Not included	Ask	Ask	Ask			No	-	Competition use only (for Gymkhana & Tarmac Rally Spec)
HONDA	Civic Type R	1997, 1998, 1999, 2000	EK9	Sports Zero 3R	317 63R CP	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-45 / -45	-70 / -40	-70 / -20	24 or (16/18/20/22/26)	18 or (8/9/10/12/14/16/20/22)	No	-	
HONDA	Civic Type R	1997, 1998, 1999, 2000	EK9	Sports Zero 3X	317 63X CP	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 24-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-45 / -45	-70 / -35	-75 / -15	24 or (16/18/20/22/26)	18 or (8/9/10/12/14/16/20/22)	No	-	



Coil-Over Suspension Lineup

HONDA	Civic Type R	2005, 2006, 2007, 2008, 2009, 2010, 2011	FD2	Street Zero A	329 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Threaded Spacer Type	Pillow/Adj.	Not included	-20 / -25	-40 / 0	-50 / -15	8 or (7/9/10)	6	Yes	00B 60J 1212	
HONDA	Civic Type R	2005, 2006, 2007, 2008, 2009, 2010, 2011	FD2	Sports Zero 3R	329 63R CN	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Aluminum Spacers	Pillow/Adj.	Not included	-30 / -40	-60 / -10	-75 / -40	12 or (7/8/9/10/14/16/18)	10 or (5/6/7/8/9/12/14/16)	No	-	
HONDA	Civic Type R	2005, 2006, 2007, 2008, 2009, 2010, 2011	FD2	Sports Zero 3X	329 63X CN	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 24-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Aluminum Spacers	Pillow/Adj.	Not included	-30 / -40	-65 / -10	-75 / -40	12 or (7/8/9/10/14/16/18)	10 or (5/6/7/8/9/12/14/16)	No	-	
HONDA	CR-Z	2010, 2011, 2012, 2013, 2014, 2015	ZF1	Street A	309 62J CB	40-Way Adjustable	40-Way Adjustable	Twin Tube	Standard	Threaded Spacer Type	Not included	Not included	-40 / -40	-50 / -30	-55 / -25	6 or (7/8)	4 or (3.5/5/6)	Yes	00B 60J 1212	
HONDA	CR-Z	2010, 2011, 2012, 2013, 2014, 2015	ZF1	Street	309 62K CBA	Fixed Damper Rate	8-Way Adjustable	Twin Tube	Standard	Threaded Spacer Type	Not included	Not included	-40 / -40	-45 / -25	-40 / -20	6 or (7/8)	4 or (3.5/5/6)	No	-	
HONDA	CR-Z	2010, 2011, 2012, 2013, 2014, 2015	ZF1	Street Zero A	309 62N CB	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Threaded Spacer Type	Not included	Not included	-40 / -40	-45 / -10	-40 / -19	6 or (5/7/8/9)	4 or (3.5/5/6)	Yes	00B 60J 1212	CBD OPTION
HONDA	CR-Z	2010, 2011, 2012, 2013, 2014, 2015	ZF1	Street Zero A	309 62N CBD	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Threaded Spacer Type	Not included	Not included	-40 / -40	-45 / -10	-40 / -19	6 or (5/7/8/9)	4 or (3.5/5/6)	Yes	00B 60J 1212	Front Camber Adjusting Cam Bolts are included. Require to modify front body panel to use e-Con2
HONDA	CR-Z	2010, 2011, 2012, 2013, 2014, 2015	ZF1	Street Zero	309 62P CBA	Fixed Damper Rate	8-Way Adjustable	Twin Tube	Full-length Adjustable	Threaded Spacer Type	Not included	Not included	-40 / -40	-45 / -10	-40 / -19	6 or (5/7/8/9)	4 or (3.5/5/6)	No	-	CBD OPTION
HONDA	CR-Z	2010, 2011, 2012, 2013, 2014, 2015	ZF1	Street Zero	309 62P CBDA	Fixed Damper Rate	8-Way Adjustable	Twin Tube	Full-length Adjustable	Threaded Spacer Type	Not included	Not included	-40 / -40	-45 / -10	-40 / -19	6 or (5/7/8/9)	4 or (3.5/5/6)	No	-	Front Camber Adjusting Cam Bolts are included
HONDA	CR-Z	2010, 2011, 2012, 2013, 2014, 2015	ZF1	Sports Zero 3R	309 63R CB	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Aluminum Spacers	Not included	Not included	-45 / -48	-55 / 0	-60 / -35	10 or (7/8/9/11/12/14)	9 or (6/7/8/10/11/12)	No	-	Front Camber Adjusting Cam Bolts are included
HONDA	CR-Z	2010, 2011, 2012, 2013, 2014, 2015	ZF1	Sport Zero-3S	309 63S CB	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Threaded Spacer Type	Not included	Not included	-40 / -40	-55 / 0	-55 / -25	6 or (7/8/9)	4 or (3.5/5/6)	No	-	Front Camber Adjusting Cam Bolts are included
HONDA	CR-Z	2010, 2011, 2012, 2013, 2014, 2015	ZF1	Sports Zero 3X	309 63X CB	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 24-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Aluminum Spacers	Not included	Not included	-45 / -48	-55 / 0	-60 / -35	10 or (7/8/9/11/12/14)	9 or (6/7/8/10/11/12)	No	-	Front Camber Adjusting Cam Bolts are included
HONDA	Fit	2008, 2009, 2010, 2011, 2012, 2013, 2014	GE8	Street Zero A	385 62N CB	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Threaded Spacer Type	Not included	Not included	-40 / -45	-48 / -10	-55 / -30	6 or (5/7/8/9)	3 or (3.5/4/5)	TBA	TBA	RS-Model only - CBD OPTION
HONDA	Fit	2008, 2009, 2010, 2011, 2012, 2013, 2014	GE8	Street Zero A	385 62N CBD	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Threaded Spacer Type	Not included	Not included	-40 / -45	-48 / -10	-55 / -30	6 or (5/7/8/9)	3 or (3.5/4/5)	TBA	TBA	Front Camber Adjusting Cam Bolts are included. For RS-Model only
HONDA	Fit	2008, 2009, 2010, 2011, 2012, 2013, 2014	GE8	Street Zero	385 62P CBA	Fixed Damper Rate	8-Way Adjustable	Twin Tube	Full-length Adjustable	Threaded Spacer Type	Not included	Not included	-40 / -45	-48 / -10	-55 / -30	6 or (5/7/8/9)	3 or (3.5/4/5)	No	-	RS-Model only - CBD OPTION
HONDA	Fit	2008, 2009, 2010, 2011, 2012, 2013, 2014	GE8	Street Zero	385 62P CBD	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Threaded Spacer Type	Not included	Not included	-40 / -45	-48 / -10	-55 / -30	6 or (5/7/8/9)	3 or (3.5/4/5)	No	-	Front Camber Adjusting Cam Bolts are included. For RS-Model only
HONDA	Fit	2008, 2009, 2010, 2011, 2012, 2013, 2014	GE8	Street A	386 62J CB	40-Way Adjustable	40-Way Adjustable	Twin Tube	Standard	Threaded Spacer Type	Not included	Not included	-35 / -45	-40 / -25	-55 / -30	4.5	2.9	TBA	TBA	
HONDA	Fit	2008, 2009, 2010, 2011, 2012, 2013, 2014	GE8	Street	386 62K CBA	Fixed Damper Rate	8-Way Adjustable	Twin Tube	Standard	Threaded Spacer Type	Not included	Not included	-40 / -45	-50 / -20	-55 / -30	4.5	2.9	No	-	
HONDA	Fit	2008, 2009, 2010, 2011, 2012, 2013, 2014	GE8	Sports Zero 3R	386 63R CB	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Aluminum Spacers	Not included	Not included	-50 / -45	-70 / 0	-70 / -45	9 or (7/8/10/11/12)	8 or (7/9/10/12)	No	-	Front Camber Adjusting Cam Bolts are included
HONDA	Fit	2008, 2009, 2010, 2011, 2012, 2013, 2014	GE8	Sport Zero-3S	386 63S CB	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Aluminum Spacers	Not included	Not included	-35 / -45	-55 / -5	-65 / -40	6 or (7/8/9)	3 or (3.5/4/5)	No	-	Front Camber Adjusting Cam Bolts are included
HONDA	Fit	2008, 2009, 2010, 2011, 2012, 2013, 2014	GE8	Sports Zero 3X	386 63X CB	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 24-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Aluminum Spacers	Not included	Not included	-50 / -45	-70 / 0	-70 / -45	9 or (7/8/10/11/12/14)	8 or (6/7/9/10/12)	No	-	Front Camber Adjusting Cam Bolts are included
HONDA	Fit	2015	GK5	Street	3A2 62K CBA	Fixed Damper Rate	8-Way Adjustable	Twin Tube	Standard	Threaded Spacer Type	Not included	Not included	-25 / -20	-30 / -15	-30 / -5	4.5	2.9	No	-	
HONDA	Fit	2015	GK5	Street A	3A2 62J CB	40-Way Adjustable	40-Way Adjustable	Twin Tube	Standard	Threaded Spacer Type	Not included	Not included	-25 / -20	-30 / -15	-30 / -5	4.5	5	No	-	
HONDA	Fit	2015	GK5	Street Zero	3A2 62P CBA	Fixed Damper Rate	8-Way Adjustable	Twin Tube	Full-length Adjustable	Threaded Spacer Type	Not included	Not included	-40 / -50	-50 / -10	-50 / -25	4.5	2.9	No	-	
HONDA	Fit	2015	GK5	Street Zero	3A2 62P CBDA	Fixed Damper Rate	8-Way Adjustable	Twin Tube	Full-length Adjustable	Threaded Spacer Type	Not included	Not included	-40 / -50	-50 / -10	-50 / -25	4.5	2.9	No	-	Front Camber Adjusting Cam Bolts are included. For RS-Model only
HONDA	Fit	2015	GK5	Street Zero A	3A2 62N CB	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Threaded Spacer Type	Not included	Not included	-40 / -40	-50 / -10	-50 / -25	4.5	2.9	No	-	


Coil-Over Suspension Lineup

HONDA	Fit	2015	GK5	Street Zero A	3A2 62N CBD	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Threaded Spacer Type	Not included	Not included	-40 / -40	-50 / -10	-50 / -25	4.5	2.9	No	-	Front Camber Adjusting Cam Bolts are included. For RS-Model only.
HONDA	S2000	1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009	AP1/AP2	Street Zero A	380 61N CN	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-40 / -50	-45 / 0	-70 / 0	10 or (8/9/11/12/14)	12 or (10/14/16)	No	-	
HONDA	S2000	1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009	AP1/AP2	Street Zero A	380 61N CP	40-Way Adjustable	40-Way Adjustable	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-40 / -50	-45 / 0	-70 / 0	10 or (8/9/11/12/14)	12 or (10/14/16)	No	-	
HONDA	S2000	1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009	AP1/AP2	Street Zero	380 61P CN	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Rubber/Rigid	Rubber/Rigid	-30 / -40	-40 / 0	-50 / 0	10 or (8/9/11/12/14)	12 or (11/14/16)	No	-	
HONDA	S2000	1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009	AP1/AP2	Street Zero	380 61P CP	Fixed Damper Rate	Fixed Damper Rate	Twin Tube	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-30 / -40	-40 / 0	-50 / 0	10 or (8/9/11/12/14)	12 or (11/14/16)	No	-	
HONDA	S2000	1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009	AP1/AP2	Sports Zero 3R	380 63R CP	24-Way Adjustable	24-Way Adjustable	Mono Tube (High Volume)	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-30 / -40	-65 / -20	-75 / -15	18 or (14/16/20/22/24)	20 or (12/14/16/18/22/24/26)	No	-	
HONDA	S2000	1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009	AP1/AP2	Sports Zero 3X	380 63X CP	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 24-Way	Comp-Low: 24-Way, Comp-High: 24-Way, Rebound: 36-Way	Mono Tube w/External Reservoir Tank	Full-length Adjustable	Full-length Adjustable	Pillow/Rigid	Pillow/Rigid	-30 / -40	-65 / -20	-70 / -20	20 or (16/18/22/24/26)	22 or (14/16/18/20/24/26)	No	-	